



**FIT
FOR
JOB**

KITCHEN
CATERING
FOOD INDUSTRY

Extract from our
extensive assortment



ABEBA[®]

www.abeba.com



DYNAMIC



OB

7310

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white with pattern | heel strap foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB

7312

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white/blue with pattern | heel strap foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB

A° micro

7335

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre white/black | seamless upper | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB

7313

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white/red with pattern | heel strap foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB

7315

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather black/brown with pattern | heel strap foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB

A° micro

7331

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre black/blue | seamless upper | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole





OB

7329

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-48 | knitted textile white | protection against splash water | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB

7327


CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-48 | knitted textile burgundy | protection against splash water | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB

7326

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-48 | knitted textile light blue | protection against splash water | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB

7328

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-48 | knitted textile anthracite | protection against splash water | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole





DYNAMIC



OB **7320**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-43 | microfibre white with pattern | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB **7361**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre black | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB **7360**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre white | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB **7367**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre white/blue | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB **7369**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre white/black | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB **7368**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre white/red | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole





OB

A micro

7620

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-43 | microfibre patent white | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352710) | slip-resistant TPU outsole



DGUV
112-191



OB

A micro

7621

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-43 | microfibre patent black | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352710) | slip-resistant TPU outsole



DGUV
112-191



OB

7622

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-48 | smooth leather white/blue | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352710) | slip-resistant TPU outsole



DGUV
112-191



x-light



OB

711130


CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white | lining with silver ions | heel strap non-foldable, adjustable | instep area with elastic band | replaceable Active Comfort insole (art. 351710) | slip-resistant PU outsole



OB

711135

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather black | lining with silver ions | heel strap non-foldable, adjustable | instep area with elastic band | replaceable Active Comfort insole (art. 351710) | slip-resistant PU outsole



O2

711137

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | smooth leather black | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole



O2

711132

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | smooth leather white | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole



O2

711133

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | smooth leather white | lining with silver ions | reflective stripes | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole



O2

711138

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | smooth leather black | lining with silver ions | reflective stripes | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole





02

A[®]micro

711128

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfibre white | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole



02

A[®]micro

711129

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfibre black | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole



Art. 711129



02

A[®]micro

711126

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfibre white | lining with silver ions | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole



02

A[®]micro

711127

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfibre black | lining with silver ions | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole





x-light



NEW

02		711124			
<p>CE, EN ISO 20347:2012 O2, FO, SRC Size 35-48 microfibre-textile white water-repellent lining with silver ions replaceable Active Comfort insole (art. 351610) slip-resistant PU outsole</p>					



01

711150

CE, EN ISO 20347:2012 O1, FO, SRC
 Size 35-48 | suede microfibre black/neon orange | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole



02

A^{micro}

711100

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | microfibre/ textile black | lining microfibre, breathable, moisture absorbing | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole



02

A^{micro}

711101

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | microfibre black | lining microfibre, breathable, moisture absorbing | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole



02

A^{micro}

711146

CE, EN ISO 20347:2012 O2, FO, SRC*
 Size 35-48 | microfibre black | lining with silver ions | double velcro fastening | replaceable Active Comfort insole (art. 351610) | scuff resistant overcap | slip-resistant PU outsole



02

A^{micro}

711147

CE, EN ISO 20347:2012 O2, FO, SRC*
 Size 35-48 | microfibre white | lining with silver ions | double velcro fastening | replaceable Active Comfort insole (art. 351610) | scuff resistant overcap | slip-resistant PU outsole






uni6



02

6772

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | knitted textile white | protection against splash water | lining with silver ions | replaceable Active Comfort insole (art. 352510) | slip-resistant TPU outsole



02

6774

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | knitted textile orange | protection against splash water | lining with silver ions | replaceable Active Comfort insole (art. 352510) | slip-resistant TPU outsole | **incl. blue laces**



02

6773

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | knitted textile blue | protection against splash water | lining with silver ions | replaceable Active Comfort insole (art. 352510) | slip-resistant TPU outsole



02

6775

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | knitted textile anthracite | protection against splash water | lining with silver ions | replaceable Active Comfort insole (art. 352510) | slip-resistant TPU outsole



Art. 6775

AVAILABLE
1st quarter
2021
*



02

6776

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | knitted textile black | protection against splash water | lining microfibre, breathable, moisture absorbing | replaceable Active Comfort insole (art. 352510) | slip-resistant TPU outsole





02

A^{micro}

6740

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | microfibre white | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 352510) | slip-resistant TPU outsole



02

A^{micro}

6741

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | microfibre black | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 352510) | slip-resistant TPU outsole



02

6728

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | microfibre-textile black with pattern | water-repellent | lining with silver ions | replaceable Active Comfort insole (art. 352510) | slip-resistant TPU outsole



02

6729

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | microfibre-textile white with pattern | water-repellent | lining with silver ions | replaceable Active Comfort insole (art. 352510) | slip-resistant TPU outsole





uni6



02

A micro

6780

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfibre white | lining with silver ions |
replaceable Active Comfort insole (art. 352510) | slip-resistant TPU
outsole



02

A micro

6781

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfibre black | lining with silver ions | replaceable
Active Comfort insole (art. 352510) | slip-resistant TPU outsole



02

A micro

6786

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfibre white/blue | lining with silver ions |
replaceable Active Comfort insole (art. 352510) | slip-resistant TPU
outsole





**ART. 6780 WITH
BLUE LACES**

Set of shoelaces **art. 370118**,
Set of 3 colours (red, bleu and green),
lace length 80 cm suitable for **ALL**
low cut lace-up shoes!



Art. 6787



02

6761

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | functional leather black with honeycomb pattern |
water-repellent | scratch-resistant | lining with silver ions | replace-
able Active Comfort insole (art. 352510) | slip-resistant TPU outsole



DGUV
112-191



02

6750

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | smooth leather white | lining microfibre, breathab-
le, moisture absorbing | replaceable Active Comfort insole (art.
352510) | slip-resistant TPU outsole



DGUV
112-191



02

A micro

6787

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfibre white/black | lining with silver ions |
replaceable Active Comfort insole (art. 352510) | slip-resistant
TPU outsole



HACCP



DGUV
112-191



rubber



OB

9200

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather white | insole or heel patch leather | heel strap foldable, adjustable | slip-resistant special rubber outsole



OB

9252

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather black | insole leather | heel strap foldable, adjustable | slip-resistant special rubber outsole



OB

9150

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather navy blue | insole or heel patch leather | heel strap non-foldable, adjustable | instep strap adjustable | slip-resistant special rubber outsole



OB


9110

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather black | insole leather | heel strap non-foldable, adjustable | instep strap adjustable | slip-resistant special rubber outsole



OB **9100**

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather white | insole or heel patch leather | heel strap non-foldable, adjustable | instep strap adjustable | slip-resistant special rubber outsole




Art. 9100



OB

Size 36-47

8300



OB

Size 36-47

8310

OB

Size 48-51

8302

OB

Size 48-51

8312

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfibre white | insole microfibre | heel strap foldable, adjustable |
lightweight Mono-PU-outsole

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfibre black | insole microfibre | heel strap foldable, adjustable |
lightweight Mono-PU-outsole



OB

8400

CE, EN ISO 20347:2012 OB, A, FO, SRA
Size 36-47 | smooth leather white | insole microfibre | lining micro-
fibre, breathable, moisture absorbing | heel strap non-foldable,
adjustable | instep strap adjustable | slip-resistant PU outsole



Art. 8040



NATURE



Art. 8040



OB

8045

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 34-48 | smooth leather black | heel strap non-foldable, ad-
justable | instep strap adjustable | buckle fastening | slip-resistant
special rubber outsole



4050

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 34-48 | smooth leather white, perforated | heel strap non-
foldable, adjustable | instep strap adjustable | buckle fastening |
slip-resistant special rubber outsole





Art. 2610



02

2600

CE, EN ISO 20347:2012 O2, SRA
Size 35-47 | grained leather white | lining microfibre, breathable, moisture absorbing | replaceable insole (art. 3551) | slip-resistant PU outsole



02

2610

CE, EN ISO 20347:2012 O2, SRA
Size 35-47 | grained leather black | lining microfibre, breathable, moisture absorbing | replaceable insole (art. 3551) | slip-resistant PU outsole



02

2710

CE, EN ISO 20347:2012 O2, SRA
Size 39-47 | grained leather black | lining microfibre, breathable, moisture absorbing | replaceable insole (art. 3551) | slip-resistant PU outsole



02

2700

CE, EN ISO 20347:2012 O2, SRA
Size 39-47 | grained leather white | lining microfibre, breathable, moisture absorbing | replaceable insole (art. 3551) | slip-resistant PU outsole





3940

Size 36-42 | smooth leather black | lining microfibre, moisture absorbing | heel 60 mm | ESD dissipative outsole



Art. 3940

BUSINESS MEN



01



32450

CE, EN ISO 20347:2012 O1, SRB
Size 40-47 | smooth leather black | lining microfibre, breathable, moisture absorbing | insole microfibre | slip-resistant ESD dissipative rubber outsole



01



32430

CE, EN ISO 20347:2012 O1, SRB
Size 40-47 | smooth leather black | lining microfibre, breathable, moisture absorbing | insole microfibre | slip-resistant ESD dissipative rubber outsole





SERVICE

SERVICE



Art. 300119



300219

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-43 | microfibre black in leather optic | lining microfibre, breathable, moisture absorbing | instep area with lacing | slip-resistant PU/rubber outsole



3030

CE, EN ISO 20347:2012 O1, FO, SRB
Size 36-42 | smooth leather black | lining microfibre, breathable, moisture absorbing | velcro fastening over instep | integrated acc footbed | slip-resistant outsole



300119

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-43 | microfibre black in leather optic | lining microfibre, breathable, moisture absorbing | instep area with elastic band | slip-resistant PU/rubber outsole



3000

Size 34-42 | smooth leather black | padded ankle support | instep area with lacing | comfort footbed | heel 45 mm | slip-resistant outsole



SAFETY SHOES





Classic



SB **1000**

CE, EN ISO 20345:2011 SB, A, E, FO, SRC
Size 36-46 | grained leather white | lining microfibre, breathable, moisture absorbing | heel patch microfibre | heel strap foldable, adjustable | instep strap adjustable | buckle fastening | slip-resistant PU outsole



SB **1011**



CE, EN ISO 20345:2011 SB, A, E, FO, SRC
Size 36-46 | microfibre black | lining and heel patch microfibre | heel strap foldable, adjustable | instep strap adjustable | buckle fastening | slip-resistant PU outsole



SB **1010**

CE, EN ISO 20345:2011 SB, A, E, FO, SRC
Size 36-46 | grained leather black | lining microfibre, breathable, moisture absorbing | heel patch microfibre | heel strap foldable, adjustable | instep strap adjustable | buckle fastening | slip-resistant PU outsole



Art. 1010



SB **1001**



CE, EN ISO 20345:2011 SB, A, E, FO, SRC
Size 36-46 | microfibre white | lining and heel patch microfibre | heel strap foldable, adjustable | instep strap adjustable | buckle fastening | slip-resistant PU outsole



S2 **1500**

CE, EN ISO 20345:2011 S2, SRC
Size 36-46 | grained leather white | lining microfibre, breathable, moisture absorbing | heel patch microfibre | instep strap adjustable | slip-resistant PU outsole





SB

711030

CE, EN ISO 20345:2011 SB, A, E, FO, SRC
 Size 35-48 | smooth leather white | lining with silver ions | heel strap foldable, adjustable | instep area with elastic band | replaceable Active Comfort insole (art. 351720) | slip-resistant PU outsole



SB

711035

CE, EN ISO 20345:2011 SB, A, E, FO, SRC
 Size 35-48 | smooth leather black | lining with silver ions | heel strap foldable, adjustable | instep area with elastic band | replaceable Active Comfort insole (art. 351720) | slip-resistant PU outsole



S2

711037

CE, EN ISO 20345:2011 S2, SRC
 Size 35-48 | smooth leather black | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351620) | slip-resistant PU outsole



S2

711032

CE, EN ISO 20345:2011 S2, SRC
 Size 35-48 | smooth leather white | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351620) | slip-resistant PU outsole



S2

711033

CE, EN ISO 20345:2011 S2, SRC
 Size 35-48 | smooth leather white | lining with silver ions | reflective stripes | replaceable Active Comfort insole (art. 351620) | slip-resistant PU outsole



S2

711038

CE, EN ISO 20345:2011 S2, SRC
 Size 35-48 | smooth leather black | lining with silver ions | reflective stripes | replaceable Active Comfort insole (art. 351620) | slip-resistant PU outsole





x-light



S2

A° micro

711026

CE, EN ISO 20345:2011 S2, SRC
Size 35-48 | microfibre white | lining with silver ions | replaceable Active Comfort insole (art. 351620) | slip-resistant PU outsole



S2

A° micro

711027

CE, EN ISO 20345:2011 S2, SRC
Size 35-48 | microfibre black | lining with silver ions | replaceable Active Comfort insole (art. 351620) | slip-resistant PU outsole



Art. 711827



S2

A° micro

711028

CE, EN ISO 20345:2011 S2, SRC
Size 35-48 | microfibre white | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351620) | slip-resistant PU outsole



S2

A° micro

711029

CE, EN ISO 20345:2011 S2, SRC
Size 35-48 | microfibre black | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351620) | slip-resistant PU outsole





x-light

NEW



S2

A^{micro}

711047

CE, EN ISO 20345:2011 S2, SRC
Size 35-48 | microfibre white | lining with silver ions | double velcro fastening | replaceable Active Comfort insole (art. 351620) | scuff resistant overcap | slip-resistant PU outsole



NEW



S2

A^{micro}

711046

CE, EN ISO 20345:2011 S2, SRC
Size 35-48 | microfibre black | lining with silver ions | double velcro fastening | replaceable Active Comfort insole (art. 351620) | scuff resistant overcap | slip-resistant PU outsole




NEW



S1

711050

CE, EN ISO 20345:2011 S1, SRC
Size 35-48 | suede microfibre black/neon orange | replaceable Active Comfort insole (art. 351620) | slip-resistant PU outsole



S3

A^{micro}

711827

CE, EN ISO 20345:2011 S3, SRC
Size 35-48 | microfibre/ textile black | water-repellent | lining with silver ions | replaceable Active Comfort insole (art. 351620) | metal free penetration resistance | slip-resistant PU outsole



NEW



S3

711874

CE, EN ISO 20345:2011 S3, SRC
Size 35-48 | smooth leather black | lining with silver ions | reflective stripes | replaceable Active Comfort insole (art. 351620) | metal free penetration resistance | slip-resistant PU outsole





S3
METAL FREE
ANTIPUNCTURE MIDSOLE



NEW



S3 **1641**

CE, EN ISO 20345:2011 S3, SRC
Size 35-48 | microfibre black | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 352520) | metal free penetration resistance | slip-resistant TPU outsole



S2 **1740**

CE, EN ISO 20345:2011 S2, SRC
Size 35-48 | microfibre white | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 352520) | slip-resistant TPU outsole



S2 **1741**

CE, EN ISO 20345:2011 S2, SRC
Size 35-48 | microfibre black | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 352520) | slip-resistant TPU outsole



S2 **1774**

CE, EN ISO 20345:2011 S2, SRC
Size 35-48 | knitted textile orange | protection against splash water | lining with silver ions | replaceable Active Comfort insole (art. 352520) | slip-resistant TPU outsole | **incl. blue laces**



S2 **1772**

CE, EN ISO 20345:2011 S2, SRC
Size 35-48 | knitted textile white | protection against splash water | lining with silver ions | replaceable Active Comfort insole (art. 352520) | slip-resistant TPU outsole





Art. 1775

S2	1775					
<p>CE, EN ISO 20345:2011 S2, SRC Size 35-48 knitted textile anthracite protection against splash water lining with silver ions replaceable Active Comfort insole (art. 352520) slip-resistant TPU outsole</p>						
<table border="0"> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>						



S2 **1773**

CE, EN ISO 20345:2011 S2, SRC
 Size 35-48 | knitted textile blue | protection against splash water | lining with silver ions | replaceable Active Comfort insole (art. 352520) | slip-resistant TPU outsole

--	--	--	--	--



S3 **1676**

CE, EN ISO 20345:2011 S3, SRC
 Size 35-48 | knitted textile black | protection against splash water | lining microfibre, breathable, moisture absorbing | replaceable Active Comfort insole (art. 352520) | metal free penetration resistance | slip-resistant TPU outsole

--	--	--	--	--	--



S2

1761

CE, EN ISO 20345:2011 S2, SRC
Size 35-48 | functional leather black with honeycomb pattern | water-repellent | scratch-resistant | lining with silver ions | replaceable Active Comfort insole (art. 352520) | slip-resistant TPU outsole



S1

1760

CE, EN ISO 20345:2011 S1, SRC
Size 35-48 | functional leather white with honeycomb pattern | water-repellent | scratch-resistant | lining with silver ions | replaceable Active Comfort insole (art. 352520) | slip-resistant TPU outsole



S3

1765

CE, EN ISO 20345:2011 S3, SRC
Size 35-48 | functional leather black with honeycomb pattern | water-repellent | scratch-resistant | lining with silver ions | replaceable Active Comfort insole (art. 352520) | metal free penetration resistance | slip-resistant TPU outsole



S3

1628

CE, EN ISO 20345:2011 S3, SRC
Size 35-48 | microfibre/ textile black with pattern | water-repellent | lining with silver ions | replaceable Active Comfort insole (art. 352520) | metal free penetration resistance | slip-resistant TPU outsole





S3

1629

CE, EN ISO 20345:2011 S3, SRC
Size 35-48 | microfibre/ textile white with pattern | water-repellent | lining with silver ions | replaceable Active Comfort insole (art. 352520) | metal free penetration resistance | slip-resistant TPU outsole



Art. 1629



S2

Amicro

1786

CE, EN ISO 20345:2011 S2, SRC
Size 35-48 | microfibre white/blue | lining with silver ions | replaceable Active Comfort insole (art. 352520) | slip-resistant TPU outsole



S2

Amicro

1787

CE, EN ISO 20345:2011 S2, SRC
Size 35-48 | microfibre white/black | lining with silver ions | replaceable Active Comfort insole (art. 352520) | slip-resistant TPU outsole



S2

Amicro

1780

CE, EN ISO 20345:2011 S2, SRC
Size 35-48 | microfibre white | lining with silver ions | replaceable Active Comfort insole (art. 352520) | slip-resistant TPU outsole



S2

Amicro

1781

CE, EN ISO 20345:2011 S2, SRC
Size 35-48 | microfibre black | lining with silver ions | replaceable Active Comfort insole (art. 352520) | slip-resistant TPU outsole





anatom



Art. 2125



SB

 micro

2120

CE, EN ISO 20345:2011 SB, A, E, FO, SRC
Size 36-52 | microfibre white | lining with silver ions | heel strap foldable, adjustable | instep strap adjustable, with elastic band | replaceable Active Comfort insole (art. 352420) | slip-resistant PU outsole



Art. 2130



S2

 micro

2135

CE, EN ISO 20345:2011 S2, SRC
Size 36-52 | microfibre black | lining with silver ions | instep strap adjustable, with elastic band | replaceable Active Comfort insole (art. 352320) | slip-resistant PU outsole



Art. 2136



S2

 micro

2131

CE, EN ISO 20345:2011 S2, SRC
Size 36-50 | microfibre white | lining with silver ions | replaceable Active Comfort insole (art. 352320) | slip-resistant PU outsole



Art. 2238


NEW



S1P

2283

CE, EN ISO 20345:2011 S1P, SRC
 Size 36-52 | Cordura® Textile yellow/green with dot pattern | water-, abrasion- and tear-resistant | lining with silver ions | reflective stripes | double velcro fastening | replaceable Active Comfort insole (art. 352320) | metal free penetration resistance | slip-resistant PU/PU outsole




NEW



S1P

2282

CE, EN ISO 20345:2011 S1P, SRC
 Size 36-48 | Cordura® Textile blue with dot pattern | water-, abrasion- and tear-resistant | lining with silver ions | reflective stripes | double velcro fastening | replaceable Active Comfort insole (art. 352320) | metal free penetration resistance | slip-resistant PU/PU outsole




NEW



S3

2251

CE, EN ISO 20345:2011 S3, SRC
 Size 36-52 | Cordura® Textile yellow/green with dot pattern | water-, abrasion- and tear-resistant | lining with silver ions | reflective stripes | replaceable Active Comfort insole (art. 352320) | metal free penetration resistance | slip-resistant PU/PU outsole




NEW



S3

2252

CE, EN ISO 20345:2011 S3, SRC
 Size 36-48 | Cordura® Textile blue with dot pattern | water-, abrasion- and tear-resistant | lining with silver ions | reflective stripes | replaceable Active Comfort insole (art. 352320) | metal free penetration resistance | slip-resistant PU/PU outsole



AVAILABLE
 in the 3rd quarter
 2020



S3

2257

CE, EN ISO 20345:2011 S3, SRC
 Size 36-48 | Cordura® Textile orange with with dot pattern | water-, abrasion- and tear-resistant | lining with silver ions | reflective stripes | replaceable Active Comfort insole (art. 352320) | metal free penetration resistance | slip-resistant PU/PU outsole




NEW



S3

2238

CE, EN ISO 20345:2011 S3, SRC
 Size 36-48 | Cordura® Textile red/black with warp pattern | water-, abrasion- and tear-resistant | lining with silver ions | reflective stripes | replaceable Active Comfort insole (art. 352320) | metal free penetration resistance | slip-resistant PU/PU outsole





anatom



Art. 2171



Art. 2180



S2

A[®]micro

2172

CE, EN ISO 20345:2011 S2, SRC
Size 36-50 | microfibre white | lining with silver ions | scratch-resistant coating in heel and toe area | reflective stripes | replaceable Active Comfort insole (art. 352320) | slip-resistant PU outsole



S3

A[®]micro

2281

CE, EN ISO 20345:2011 S3, SRC
Size 36-48 | microfibre black | **cold-insulating** lining | triple velcro fastening | cushioned ankle support | reflective stripes | replaceable Active Comfort insole (art. 352320) | metal free penetration resistance | slip-resistant PU outsole



CRAWLER



SB

A[®]micro

4556

CE, EN ISO 20345:2011 SB, A, E, FO, SRC
Size 36-48 | microfibre black | scratch-resistant coating in toe area | lining with silver ions | heel strap foldable, adjustable | instep strap adjustable, with elastic bank | replaceable Active Comfort insole (art. 352020) | **aluminium toe-cap** | slip-resistant TPU outsole





Art. 77031



OB

 micro

77021

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfibre white | insole microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole



Art. 77020



OB

 micro

77030

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfibre black, perforated | insole microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole



Art. 77024



OB

 micro

77023

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfibre white/blue | heel patch microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole



Art. 7031



OB

7021

CE, EN ISO 20347:2012 OB, FO, SRC
Size 35-48 | smooth leather white | insole leather | heel strap foldable, adjustable | slip-resistant outsole



OB

 micro

77022

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-43 | microfibre white with pattern | heel patch microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole



OB

 micro

77032

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-43 | microfibre white with pattern | heel patch microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole





ABEBA®

WWW.ABEBA.COM

Your ABEBA distributor: